

### KEY FEATURES

3.5G cellular modem

Feature packed, fully integrated solution

3 megapixel camera

High-sensitivity GPS receiver

Long life battery for all-day use

Lightweight and compact



### COMPLETE AND COMPACT 3.5G SOLUTION FOR ASSET MANAGEMENT

The Juno™ SC handheld is a durable, lightweight field computer that integrates an array of powerful features. Providing photo capture, cellular data transmission, and high yield GPS positioning at 2 to 5 meter accuracy, the Juno SC handheld is an affordable solution that will increase the productivity of your entire mobile workforce.

Organizations managing critical infrastructure—such as electric and gas, water-wastewater utilities, and municipal government departments—know that having accurate information in the field equates to faster job turnaround and improved customer service. Purpose-built for the mobile workforce, the Juno SC handheld is the one tool your organization can't afford to be without.

#### It pays to be well connected

The integrated 3.5G HSDPA cellular modem provides high-speed internet connectivity worldwide. Your entire field workforce will be able to quickly and reliably access the data they need in the field—work-orders, map data, reference files, emails, and even the Internet. The data transmission capabilities of the Juno SC handheld enable your entire mobile workforce to retrieve and update mission critical information in real time, increasing overall data accuracy and productivity.

The Juno SC handheld also enables connections to networks and other devices with its integrated Bluetooth® and Wi-Fi wireless technology capabilities.

#### Your complete mobile solution

The Juno SC handheld is designed to keep your workforce mobile with the convenience of a single, pocketable device that avoids the need to carry a camera, a GPS data collector, and a PDA.

The long life battery of the Juno SC handheld allows GPS data collection for a full working day, without the need for recharging. The battery is also field-replaceable, for extended periods away from a power source.

The integrated 3 megapixel digital camera allows you to capture high quality images ideal for GIS data collection. Workers can accurately record asset conditions, provide documentary evidence, and give staff back in the office an accurate picture of the situation in the field.

You never have to worry about running out of memory in the field with the Juno SC handheld's microSD card slot. Compatibility with high capacity microSD cards provides up to 8 GB of storage for large applications, data and raster background maps, or even entire projects.

#### Productivity for field and office

In applications such as natural resource data collection, public works asset inspection, and mobile workforce management where high productivity is critical, the Juno SC handheld is ideal. Incorporating a high-sensitivity GPS receiver, it has been specifically designed to maximize yield of positions in hostile environments such as under forest canopy and up against buildings.

For these types of applications, the Juno SC handheld can be used in real time with its integrated SBAS receiver to achieve 2 to 5 meter positional accuracy. When higher accuracy is required to meet company or regulatory standards, the field data collected with the Juno SC handheld can be postprocessed with the new Trimble® DeltaPhase™ technology to achieve 1 to 3 meter<sup>2</sup> accuracy.

As part of the Trimble family of GPS solutions, the Juno SC handheld is fully compatible with Trimble's entire range of Mapping & GIS software, giving you a choice of GIS data collection and maintenance software solutions at a range of price points. You can easily deploy the Juno SC handheld alongside your current Trimble equipment, and maintain the same workflows and policies.

The Juno SC handheld's Windows Mobile® 6.1 operating system includes personal productivity tools such as Word Mobile, Excel® Mobile, Internet Explorer® Mobile, and Outlook® Mobile, allowing a seamless exchange of data between the field and office.

#### Pack more into your pocket

The Juno SC handheld provides the ultimate combination of features, wrapped in a compact package with a price tag to match. The Juno SC handheld: the complete toolkit for your entire field workforce.

# JUNO SC HANDHELD

## STANDARD FEATURES

### System

- Windows Mobile 6.1 in Chinese, English, French, German, Italian, Japanese, Korean, Portuguese (Brazilian), Russian, or Spanish
- 533 MHz Samsung processor
- Integrated HSDPA 3.5G cellular modem (Quad-band GSM/GPRS and Tri-band WCDMA 3.5G)
- Integrated Bluetooth v2.0 wireless technology
- Integrated 802.11b/g Wi-Fi wireless technology
- Integrated digital camera (color, 3 megapixel resolution)
- 128 MB RAM
- 128 MB non-volatile Flash data storage
- microSD (microSDHC compatible) memory card slot
- QVGA display (240 x 320), sunlight-readable color touch screen
- All-day internally rechargeable and removable Li-Ion battery
- Integrated speaker and microphone
- Audio jack

### GPS

- Integrated high-sensitivity GPS/SBAS<sup>1</sup> receiver and antenna
- 2 to 5 meter accuracy after real-time differential correction
- 1 to 3 meter accuracy after postprocessing<sup>2</sup>
- NMEA and SiRF protocol support

### Standard Software

- Microsoft Office Mobile, includes Excel Mobile, Word Mobile, Internet Explorer Mobile, Outlook Mobile, and PowerPoint® Mobile
- Adobe Reader
- Transcriber (handwriting recognition)

### Standard Accessories

- AC Power supply with international adapter kit
- USB data cable
- Stylus (2-pack)
- Wrist lanyard
- Rechargeable Li-ion battery
- Quick Start Guide
- Getting Started CD, containing User Guide

## OPTIONAL FEATURES

### Optional Software

- Trimble TerraSync™ software
- Trimble GPS Pathfinder Office software
- Trimble Positions software suite
- Trimble GPScorrect™ extension for Esri ArcPad software
- Trimble GPS Analyst™ extension for Esri ArcGIS for Desktop software
- Trimble Municipal Reporter™ system<sup>3</sup>
- Trimble TrimPix™ Pro system
- Trimble GPS Controller software for controlling NMEA output and in-field mission planning
- Custom applications built with Mobile GIS Developer Community software development kits (SDKs)

### Optional Accessories

- Vehicle power adapter
- Vehicle mount for windshield or dash
- External GPS patch antenna
- Protective OtterBox Defender Series case with belt clip
- Anti-glare screen protectors (2-pack)
- Clear screen protectors (2-pack)
- Replacement AC Power supply with international adapter kit
- Replacement Li-ion battery
- Replacement Stylus (2-pack)

© 2008–2012, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo, and GPS Pathfinder are trademarks of Trimble Navigation Limited, registered in the United States and in other countries. DeltaPhase, GPS Analyst, GPScorrect, Juno, Municipal Reporter, Positions, TerraSync, and TrimPix are trademarks of Trimble Navigation Limited. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Trimble Navigation Limited is under license. Excel, Internet Explorer, Microsoft, Outlook, Powerpoint, and Windows Mobile are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners. Aerial Photography © The GeoInformation Group, 2002–2012. PN 022501-185E (07/12)

## TECHNICAL SPECIFICATIONS

### Physical

Size	12.9 cm x 7.4 cm x 3.0 cm (5.1 in x 2.9 in x 1.2 in)
Weight	0.24 kg (0.54 lb) with battery
Processor	533 MHz Samsung S3C2443 processor
Memory	128 MB RAM and 128 MB internal Flash storage
Battery	Internal 2600 mAh lithium-ion, rechargeable in unit
Power <sup>4</sup>	
Low (no GPS, backlight ON <sup>5</sup> )	14 hours
Normal (with GPS and backlight ON)	.8 hours

### Environmental

Temperature	
Operating	0 °C to +60 °C (32 °F to 140 °F)
Storage	-20 °C to +70 °C (-4 °F to 158 °F)
Drop	76 cm (2.5 ft) drop 2 drops per 6 sides at ambient temperature 23 °C (73 °F)
Tumble	50 cycles (100 drops) x 50 cm (1.64 ft), 5 cycles/minute
Casing	IP4X. Protected against small objects >1 mm

### Input/output

Expansion	microSD Card slot (microSDHC compatible)
Display	8.9 cm (3.5 in) QVGA (240 x 320 pixel) TFT 16 bit (65,536) colors, LED backlight
Interface	Touch screen, hardware control keys, power status LED Audio system events, warnings, and notifications Soft Input Panel (SIP) virtual keyboard and handwriting recognition software
Audio	Microphone and speaker, record and playback utilities Industry-standard 3.5 mm stereo earphone jack
I/O	USB client v2.0 compliant
Radios	Bluetooth 2.0 <sup>6</sup> , Wi-Fi 802.11b/g Integrated HSDPA 3.5G cellular modem <sup>7</sup>
Digital Camera	3 megapixel color camera with autofocus JPEG photo format, WMV video format

### GPS

Channels	12 (L1 code only)
Integrated real-time	SBAS <sup>1</sup>
Update rate	1 Hz
Time to first fix	30 seconds (typical)
Protocols	SiRF, NMEA-0183

### Accuracy (HRMS)<sup>8</sup> after differential correction

Code Postprocessed	1–3 m <sup>2</sup>
Real-time (SBAS <sup>1</sup> )	2–5 m

1 SBAS (Satellite Based Augmentation System). Includes WAAS (Wide Area Augmentation System) available in North America only, EGNOS (European Geostationary Navigation Overlay System) available in Europe only, and MSAS available in Japan only.

2 Requires Trimble DeltaPhase technology, as supported in Trimble GPS Pathfinder Office software version 4.20 and later, or Trimble Positions Desktop add-in version 10.1.0, or Trimble GPS Analyst Extension for Esri ArcGIS for Desktop software, version 2.20 and later.

3 Internet access required for Municipal Reporter system workflows.

4 Using wireless technology, such as Bluetooth, wireless LAN or cellular modem will consume additional battery power.

5 Backlight setting at 70% brightness.

6 Bluetooth and wireless LAN type approvals are country specific. Juno series handhelds have Bluetooth and wireless LAN approval in the USA and EU. For other countries please consult your local Reseller.

7 Tri-Band UMTS/HSDPA; Quad-Band GSM/GPRS/EDGE. The Juno SC handheld is PTCRB certified and can operate on any of these networks that do not require carrier certification. Consult with your local reseller for more information.

8 Horizontal Root Mean Squared accuracy. Requires data to be collected using vertical mounting, minimum of 4 satellites, PDOP mask at 99, SNR mask at 12 dBHz, elevation mask at 5 degrees, and reasonable multipath conditions. Ionospheric conditions, multipath signals or obstruction of the sky by buildings or heavy tree canopy may degrade precision by interfering with signal reception. Accuracy varies with proximity to base station by +1 ppm for postprocessing and real-time.

Specifications subject to change without notice.



### NORTH & SOUTH AMERICA

Trimble Navigation Limited  
10355 Westmoor Drive  
Suite #100  
Westminster, CO 80021  
USA  
+1-720-587-4574 Phone  
+1-720-587-4878 Fax

### EUROPE & AFRICA

Trimble Germany GmbH  
Am Prime Parc 11  
65479 Raunheim  
GERMANY  
+49-6142-2100-0 Phone  
+49-6142-2100-550 Fax

### ASIA-PACIFIC & MIDDLE EAST

Trimble Navigation  
Singapore PTE Limited  
80 Marine Parade Road  
#22-06 Parkway Parade  
Singapore, 449269  
SINGAPORE  
+65-6348-2212 Phone  
+65-6348-2232 Fax

YOUR LOCAL TRIMBLE OFFICE OR REPRESENTATIVE



www.trimble.com  
store.trimble.com